

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions of claims in the application:

**Listing of Claims:**

1. (Currently amended) An interactive computer-implemented system for specifying and executing temporal order events, comprising a processor executing:
  - a constraint component that receives loose temporal constraints associated with a plurality of events, wherein the loose temporal constraints specify information about execution of an event and event execution relative to other events;
  - a system information component that receives execution system information such as available memory, cache coherency, data throughput and number of processors; and
  - an order component that determines, via utility-based analysis, a plurality of an event orders in accordance with the loose temporal constraints and selects an optimal event order based at least in part on the execution system information, wherein the event order specifies the execution order of events.
2. (Original) The system of claim 1, wherein the constraint is an event start and/or a stop time.
3. (Previously Presented) The system of claim 1, wherein the constraint is event duration and/or a filter.
4. (Cancelled)
5. (Original) The system of claim 1, further comprising a system information component that provides information about an execution system to the order component to facilitate selection of an optimal event order.
6. (Cancelled)

7. (Original) The system of claim 5, the information about an execution system includes data throughput rate.
8. (Currently amended) An interactive computer-implemented system for specifying and executing temporal order events, comprising a processor executing:
- a display component that provides a plurality of object workspaces, the workspaces are user interfaces including a past, present and future space, the present space is an editable area, the past and future space specify temporal constraints associated with a plurality of events; and
  - a design component that temporally associates and/or disassociate objects in the editable area and determines an optimal execution order of events based at least in part on the object associations specifying temporal constraints wherein non-associated objects order of execution is determined *via* utility-based analysis.
9. (Previously Presented) The system of claim 8, object workspaces that facilitate a graphical-based approach to specify relationships amongst objects.
10. (Cancelled)
11. (Original) The system of claim 8, non-associated objects are executed randomly.
12. (Original) The system of claim 8, the design component comprising a specification component that receives hard start and/or end times for events associated with objects.
13. (Original) The system of claim 8, the design component temporally associates objects as a function of respective location in the editable area.
14. (Original) The system of claim 8, further comprising a duration component that receives information regarding event duration.
15. (Original) The system of claim 8, the design component receives and executes information related to nested events associated with respective objects.

16. (Original) The system of claim 8, further comprising a policy component that applies pre-defined rules to execution of the objects.
17. (Original) The system of claim 8, further comprising a policy component that applies pre-defined rules to editing of the objects.
18. (Original) The system of claim 8, the design component receives and executes information regarding hierarchical relationship of respective objects.
19. (Original) The system of claim 8, the design component receives and executes information regarding dependency relationship of respective objects.
20. (Original) The system of claim 8, further comprising a query component that searches for events that satisfy a query, and displays objects associated with the events in temporal order.
21. (Previously Presented) The system of claim 20, the query component provides context information for respective objects.
22. (Currently amended) The system of claim 8, objects placed in the past area are executed prior to objects in the present area and objects placed in the future area are executed after objects in the present area.
23. (Cancelled)
24. (Original) The system of claim 8, the design component associates objects in a non-linear conditional manner.
25. (Original) The system of claim 8, the design component associates objects *via* iterative loops.

26. (Original) The system of claim 8, the design component associates objects based on a specified version.
27. (Previously Presented) A computer-implemented method for specifying and executing temporal order events comprising the following computer executable instructions stored on a tangible computer readable medium:
- receiving loose temporal constraints associated with a plurality of events;
  - generating one or more event execution orders in accordance with the constraints; and
  - receiving execution system information; and
  - outputting an optimal event order based at least in part on execution system information.
28. (Cancelled)
29. (Previously Presented) A method for object authoring implemented on a computer comprising the following computer executable instructions stored on a tangible computer readable medium:
- receiving object data associated with events from a workspace including at least one of a past, present, and future area;
  - associating objects temporally based at least in part upon relative object locations; and
  - determining the execution order of events based on object associations and information regarding an execution system that executes the events.
30. (Original) The method of claim 29, further comprising associating objects based on one or more operational objects.
31. (Previously Presented) The method of claim 30, wherein the operational objects correspond to at least a loop, a trigger, a conditional and hard start and/or stop times.
- 32-34. (Cancelled)

35. (Original) The method of claim 29, wherein objects are associated in a non-linear conditional manner.
36. (Original) The method of claim 29, wherein the objects are associated *via* iterative loops.
- 37-38. (Cancelled)
39. (Previously Presented) The system of claim 8, wherein information about event start and stop times and event duration is communicated with a particular object.
40. (Previously Presented) The system of claim 39, wherein the objects are bars and fuzzy edges on the bars indicate an unspecified time.
41. (Previously Presented) The system of claim 40, wherein the fuzzy edges on at beginning of the bar indicate an unspecified start time and the fuzzy logic on at end of the bar indicates an unspecified end time and/or duration.
42. (Previously Presented) The system of claim 40, wherein hard bold edges on the bar specifies specific start and/or stop time.
43. (Previously Presented) The system of claim 1, wherein the execution system information comprises at least available memory, cache coherency, data throughput and number of processors of the system.
44. (New) The system of claim 8, wherein the temporal constraints comprising one specific event must finish before another specific event starts.
45. (New) The system of claim 8, wherein the past and future space provide a context for navigation to a user during application development.